Patent

Attorney Docket No.: 00041.11CON Express Mail No.: ER 447 856 499 US

CLAIMS

- 1. A composition for delivery of rizatriptan consisting of a condensation aerosol
- a) formed by volatilizing a thin layer of rizatriptan on a solid support, having the surface texture of a metal foil, to a temperature sufficient to produce a heated vapor of rizatriptan and condensing the heated vapor of rizatriptan to form condensation aerosol particles,
- b) wherein said condensation aerosol particles are characterized by less than 5% rizatriptan degradation products, and
 - c) the condensation aerosol has an MMAD of less than 3 microns.
- 2. The composition according to Claim 1, wherein the aerosol particles are formed at a rate of at least 10⁹ particles per second.
- 3. The composition according to Claim 2, wherein the aerosol particles are formed at a rate of at least 10¹⁰ particles per second.
- 4. A composition for delivery of zolmitriptan consisting of a condensation aerosol
- a) formed by volatilizing a thin layer of zolmitriptan on a solid support, having the surface texture of a metal foil, to a temperature sufficient to produce a heated vapor of zolmitriptan and condensing the heated vapor of zolmitriptan to form condensation aerosol particles,
- b) wherein said condensation aerosol particles are characterized by less than 5% zolmitriptan degradation products, and
 - c) the condensation aerosol has an MMAD of less than 3 microns.
- 5. The composition according to Claim 4, wherein the aerosol particles are formed at a rate of at least 10⁹ particles per second.
- 6. The composition according to Claim 5, wherein the aerosol particles are formed at a rate of at least 10¹⁰ particles per second.

Patent

Attorney Docket No.: 00041.11CON Express Mail No.: ER 447 856 499 US

7. A composition for delivery of sumatriptan consisting of a condensation aerosol

- a) formed by volatilizing a thin layer of sumatriptan on a solid support, having the surface texture of a metal foil, to a temperature sufficient to produce a heated vapor of sumatriptan and condensing the heated vapor of sumatriptan to form condensation aerosol particles,
- b) wherein said condensation aerosol particles are characterized by less than 5% sumatriptan degradation products, and
 - c) the condensation aerosol has an MMAD of less than 3 microns.
- 8. The composition according to Claim 7, wherein the aerosol particles are formed at a rate of at least 10^9 particles per second.
- 9. The composition according to Claim 8, wherein the aerosol particles are formed at a rate of at least 10¹⁰ particles per second.
- 10. A composition for delivery of frovatriptan consisting of a condensation aerosol
- a) formed by volatilizing a thin layer of frovatriptan on a solid support, having the surface texture of a metal foil, to a temperature sufficient to produce a heated vapor of frovatriptan and condensing the heated vapor of frovatriptan to form condensation aerosol particles,
- b) wherein said condensation aerosol particles are characterized by less than 5% frovatriptan degradation products, and
 - c) the condensation aerosol has an MMAD of less than 3 microns.
- 11. The composition according to Claim 10, wherein the aerosol particles are formed at a rate of at least 10⁹ particles per second.
- 12. The composition according to Claim 11, wherein the aerosol particles are formed at a rate of at least 10¹⁰ particles per second.
 - 13. A composition for delivery of naratriptan consisting of a condensation

Paten

Attorney Docket No.: 00041.11CON Express Mail No.: ER 447 856 499 US

aerosol

a) formed by volatilizing a thin layer of naratriptan on a solid support, having the surface texture of a metal foil, to a temperature sufficient to produce a heated vapor of naratriptan and condensing the heated vapor of naratriptan to form condensation aerosol particles.

- b) wherein said condensation aerosol particles are characterized by less than 5% naratriptan degradation products, and
 - c) the condensation aerosol has an MMAD of less than 3 microns.
- 14. The composition according to Claim 13, wherein the aerosol particles are formed at a rate of at least 10⁹ particles per second.
- 15. The composition according to Claim 14, wherein the aerosol particles are formed at a rate of at least 10¹⁰ particles per second.
 - 16. A method of producing rizatriptan in an aerosol form comprising:
- a. heating a thin layer of rizatriptan on a solid support, having the surface texture of a metal foil, to a temperature sufficient to volatilize the rizatriptan to form a heated vapor of the rizatriptan, and
- b. during said heating, passing air through the heated vapor to produce aerosol particles of the rizatriptan comprising less than 5% rizatriptan degradation products, and an aerosol having an MMAD of less than 3 microns.
- 17. The method according to Claim 16, wherein the aerosol particles are formed at a rate of greater than 10⁹ particles per second.
- 18. The method according to Claim 17, wherein the aerosol particles are formed at a rate of greater than 10¹⁰ particles per second
 - 19. A method of producing zolmitriptan in an aerosol form comprising:
- a. heating a thin layer of zolmitriptan on a solid support, having the surface texture of a metal foil, to a temperature sufficient to volatilize the zolmitriptan to form a heated vapor of the zolmitriptan, and

Paten

Attorney Docket No.: 00041.11CON Express Mail No.: ER 447 856 499 US

b. during said heating, passing air through the heated vapor to produce aerosol particles of the zolmitriptan comprising less than 5% zolmitriptan degradation products, and an aerosol having an MMAD of less than 3 microns.

- 20. The method according to Claim 19, wherein the aerosol particles are formed at a rate of greater than 10⁹ particles per second.
- 21. The method according to Claim 20, wherein the aerosol particles are formed at a rate of greater than 10¹⁰ particles per second.
 - 22. A method of producing sumatriptan in an aerosol form comprising:
- a. heating a thin layer of sumatriptan on a solid support, having the surface texture of a metal foil, to a temperature sufficient to volatilize the sumatriptan to form a heated vapor of the sumatriptan, and
- b. during said heating, passing air through the heated vapor to produce aerosol particles of the sumatriptan comprising less than 5% sumatriptan degradation products, and an aerosol having an MMAD of less than 3 microns.
- 23. The method according to Claim 22, wherein the aerosol particles are formed at a rate of greater than 10⁹ particles per second.
- 24. The method according to Claim 23, wherein the aerosol particles are formed at a rate of greater than 10¹⁰ particles per second.
 - 25. A method of producing frovatriptan in an aerosol form comprising:
- a. heating a thin layer of frovatriptan on a solid support, having the surface texture of a metal foil, to a temperature sufficient to volatilize the frovatriptan to form a heated vapor of the frovatriptan, and
- b. during said heating, passing air through the heated vapor to produce aerosol particles of the frovatriptan comprising less than 5% frovatriptan degradation products, and an aerosol having an MMAD of less than 3 microns.

Paten

Attorney Docket No.: 00041.11CON Express Mail No.: ER 447 856 499 US

26. The method according to Claim 25, wherein the aerosol particles are formed at

a rate of greater than 10⁹ particles per second.

27. The method according to Claim 26, wherein the aerosol particles are formed at

a rate of greater than 10¹⁰ particles per second.

28. A method of producing naratriptan in an aerosol form comprising:

a. heating a thin layer of naratriptan on a solid support, having the surface

texture of a metal foil, to a temperature sufficient to volatilize the naratriptan to form a

heated vapor of the naratriptan, and

b. during said heating, passing air through the heated vapor to produce

aerosol particles of the naratriptan comprising less than 5% naratriptan degradation

products, and an aerosol having an MMAD of less than 3 microns.

29. The method according to Claim 28, wherein the aerosol particles are formed at

a rate of greater than 10⁹ particles per second.

30. The method according to Claim 29, wherein the aerosol particles are formed at

a rate of greater than 10¹⁰ particles per second.